

[illegible]

VESSEL Northwest Explorer			CRUISE ID NW14		PROJECT & LEG (if needed) SEC/GOAA leg				CTD FileName (None if data is live feed) NWE002.hex							
CTD consec CAST #	LATITUDE		DEG	MIN	DEG	LONGITUDE		GMT DATE	GMT (note if not)			GMT Time	Surface Temp (°C)	BOTTOM DEPTH (m)	STATION NUMBER	STN. NAME/ID
	DEG	MIN				MIN	DAY		MO	YR	HR					
002	58	15.26	N		135	126.64	W	27	06	14		656	10.8	261	18011	15C
Sensor IDS (initially & swap-outs)																
SBE type and SN																
PRESS SN																
TEMP 1 & 2 S/Ns																
COND 1&2 S/Ns																
FLUOR SN																
O2 (SBE43) SN																
Transmiss SN																
PAR SN																
O2 SBE42SN																
Weather:																
25																
COMMENT: Difficult conditions, factors that may affect measurements or aid processing																
Fastcat CO																
NWE002.hex																
PAR missing cal values																
Values marked																
Values same																
all																
25																
Sensor IDS (initially & swap-outs)																
SBE type and SN																
PRESS SN																
TEMP 1 & 2 S/Ns																
COND 1&2 S/Ns																
FLUOR SN																
O2 (SBE43) SN																
Transmiss SN																
PAR SN																
O2 SBE42SN																
Weather:																
25																
COMMENT: Difficult conditions, factors that may affect measurements or aid processing																
Fastcat CO																
NWE002.hex																
PAR missing cal values																
Values marked																
Values same																
all																
25																
Sensor IDS (initially & swap-outs)																
SBE type and SN																
PRESS SN																
TEMP 1 & 2 S/Ns																
COND 1&2 S/Ns																
FLUOR SN																
O2 (SBE43) SN																
Transmiss SN																
PAR SN																
O2 SBE42SN																
Weather:																
25																
COMMENT: Difficult conditions, factors that may affect measurements or aid processing																
Fastcat CO																
NWE002.hex																
PAR missing cal values																
Values marked																
Values same																
all																
25																
Sensor IDS (initially & swap-outs)																
SBE type and SN																
PRESS SN																
TEMP 1 & 2 S/Ns																
COND 1&2 S/Ns																
FLUOR SN																
O2 (SBE43) SN																
Transmiss SN																
PAR SN																
O2 SBE42SN																
Weather:																
25																
COMMENT: Difficult conditions, factors that may affect measurements or aid processing																
Fastcat CO																
NWE002.hex																
PAR missing cal values																
Values marked																
Values same																
all																
25																
Sensor IDS (initially & swap-outs)																
SBE type and SN																
PRESS SN																
TEMP 1 & 2 S/Ns																
COND 1&2 S/Ns																
FLUOR SN																
O2 (SBE43) SN																
Transmiss SN																
PAR SN																
O2 SBE42SN																
Weather:																
25																
COMMENT: Difficult conditions, factors that may affect measurements or aid processing																
Fastcat CO																
NWE002.hex																
PAR missing cal values																
Values marked																
Values same																
all																
25																
Sensor IDS (initially & swap-outs)																
SBE type and SN																
PRESS SN																
TEMP 1 & 2 S/Ns																
COND 1&2 S/Ns																
FLUOR SN																
O2 (SBE43) SN																
Transmiss SN																
PAR SN																
O2 SBE42SN																
Weather:																
25																
COMMENT: Difficult conditions, factors that may affect measurements or aid processing																
Fastcat CO																
NWE002.hex																
PAR missing cal values																
Values marked																
Values same																
all																
25																
Sensor IDS (initially & swap-outs)																
SBE type and SN																
PRESS SN																
TEMP 1 & 2 S/Ns																
COND 1&2 S/Ns																
FLUOR SN																
O2 (SBE43) SN																
Transmiss SN																
PAR SN																
O2 SBE42SN																
Weather:																
25																
COMMENT: Difficult conditions, factors that may affect measurements or aid processing																
Fastcat CO																
NWE002.hex																
PAR missing cal values																
Values marked																
Values same																
all																
25																
Sensor IDS (initially & swap-outs)																
SBE type and SN																
PRESS SN																
TEMP 1 & 2 S/Ns																
COND 1&2 S/Ns																
FLUOR SN																
O2 (SBE43) SN																
Transmiss SN																
PAR SN																
O2 SBE42SN																
Weather:																
25																
COMMENT: Difficult conditions, factors that may affect measurements or aid processing																
Fastcat CO																
NWE002.hex																
PAR missing cal values																
Values marked																
Values same																
all																
25																
Sensor IDS (initially & swap-outs)																
SBE type and SN																
PRESS SN																
TEMP 1 & 2 S/Ns																
COND 1&2 S/Ns																
FLUOR SN																
O2 (SBE43) SN																
Transmiss SN																
PAR SN																
O2 SBE42SN																
Weather:																
25																
COMMENT: Difficult conditions, factors that may affect measurements or aid processing																
Fastcat CO																
NWE002.hex																
PAR missing cal values																
Values marked																
Values same																
all																
25																
Sensor IDS (initially & swap-outs)																
SBE type and SN																
PRESS SN																
TEMP 1 & 2 S/Ns																
COND 1&2 S/Ns																
FLUOR SN																
O2 (SBE43) SN																
Transmiss SN																
PAR SN																
O2 SBE42SN																
Weather:																
25																
COMMENT: Difficult conditions, factors that may affect measurements or aid processing																
Fastcat CO																
NWE002.hex																
PAR missing cal values																
Values marked																
Values same																
all																
25																
Sensor IDS (initially & swap-outs)																
SBE type and SN																
PRESS SN																

[illegible]

[illegible]

[illegible]

[illegible]

VESSEL	CRUISE ID	PROJECT & LEG (if needed)	CTD FileName (None if data is live feed)	
Northwest Explorer	NW14	SECMI/GOAA leg	MUTIPLE casts	
CTD consec CAST #	LATITUDE	LONGITUDE	GMT DATE	
	DEG MIN	DEG MIN	DAY YR MO HR MIN	
	58 16.33 N	179 05.06 W	1 4	
Sensor IDS (Initially & swap-outs)	Weather:			
SBE type and SN				
PRESS SN				
TEMP 1 & 2 SNs				
COND 1&2 SNs				
FLUOR SN				
O2 (SBE43) SN				
Transmiss SN				
PAR SN				
O2 SBE42SN				
BOTTOM DEPTH (m)	Surface Temp (°C)			
STATION NUMBER	CTD MAX DEPT =			
STN. NAME/ID				
COMMENT: Difficult conditions, factors that may affect measurements or aid processing				
015 3:50PM 30 June 58 16.33 / 135 23.86 220m : 50.7 ISB				
016 5:35 PM 30 June 58 15.21 135 26.37 260m 53.5 JSC				
017 10:00 PM 30 June 58 14.24 135 29.10 194m 51.27 ISB				
018 12:18 AM 1 July 58 13.25 135 31.80 99 50 ISA				
→ Conductivity was geo for most of cast until 20m from surface. Sent Beck to Sonar then to service.				
All one cast				
Sal only for last ~25 → surface				
DEPTH DESIRED	Rosette Notes	Hydro Team-PMEL	GFF vol	
	SALT Btl Nut.Btl	>10 Large Vol	GFF dup vol	
		>10 dup vol (large)	POC 500 ml	
			Comments or other samples	
			Nis #	
1				1
2				2
3				3
4				4
5				5
6				6
7				7
8				8
9				9
10				10
11				11
12				12

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

VESSEL Northwest Explorer			CRUISE ID			PROJECT & LEG (if needed) SECM/GOAA leg			CTD FileName (None if data is live feed)									
LATITUDE		DEG	MIN	LONGITUDE			DEG	MIN	GMT DATE			GMT Time			Surface Temp	BOTTOM DEPTH (m)	STATION NUMBER	STN. NAME/ID
									DAY	MO	YR	HR	MIN					
034	58		14.16	N	135		29.25	W	29	JUL	1	4	1933		10.4	192	18054	158
Sensor IDS (initially & swap-outs)																		
Weather:																		
COMMENT: Difficult conditions, factors that may affect measurements or aid processing																		
SBE type and S/N																		
PRESS S/N																		
TEMP 1 & 2 S/Ns																		
COND 1&2 S/Ns																		
FLUOR S/N																		
O2 (SBE43) S/N																		
Transmiss S/N																		
PAR S/N																		
O2 SBE42S/N																		
CTD MAX DEPTH =																		
Nisk #																		
Comments or other samples																		
1																		
2																		
3																		
4																		
5																		
6																		
7																		
8																		
9																		
10																		
11																		
12																		

[illegible]

[illegible]

VESSEL Northwest Explorer				CRUISE ID				PROJECT & LEG (if needed) SECIM/GOAA leg				CTD File Name (None if data is live feed)			
CTD consec CAST #		LATITUDE		LONGITUDE		GMT DATE		GMT Time		Surface Temp		BOTTOM DEPTH		STN. NAME/ID	
DEG	MIN	DEG	MIN	DEG	MIN	DAY	MO	YR	HR	MIN	(°C)	(m)	STATION NUMBER		
023	58	14.20	N	135	29.21	W	30	JUL	1	4	1646	11.8	188	18059	158
Sensor IDS (initially & swap-outs) SBE type and SN MPRESS SN TEMP 1 & 2 SNs COND 1 & 2 SNs FLUOR SN O2 (SBE43) SN Transmiss SN PAR SN O2 SBE42SN															
Weather: COMMENT: Difficult conditions, factors that may affect measurements or aid processing No water samples taken. Seacat 037 30/Jul 1712															
Nisk #		DEPTH	Rosette Notes	Hydro Team-PMEL		GFF vol	>10 Large Vol	GFF dup vol	>10 dup vol (large)	POC 500 ml	Comments or other samples		Nisk #		
DESIRED				SALT BI	Nut.BI										
1													1		
2													2		
3													3		
4													4		
5													5		
6													6		
7													7		
8													8		
9													9		
10													10		
11													11		
12													12		

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

VESSEL Northwest Explorer			CRUISE ID		PROJECT & LEG (if needed) SEC/GOAA leg				CTD FileName (None if data is live feed)								
CTD consec CAST #	LATITUDE		DEG	MIN	N	135	LONGITUDE		GMT DATE		GMT Time		Surface Temp (°C)	BOTTOM DEPTH (m)	STATION NUMBER	STN. NAME/ID	
	DEG	MIN					MIN	DAY	MO	YR	HR	MIN					
028	58	0799					04.01	W	31	JUL	1	4	1935	12.2	158	18066	UCC
Sensor IDS (initially & swap-outs)																	
Weather:																	
COMMENT: Difficult conditions, factors that may affect measurements or aid processing																	
NO upcast cut out @ ~130m need to use CTD for profile																	
seacat = 044 @ 1935																	
CTD MAX. DEPTH = 1409																	
Sensor type and SN																	
PRESS SN																	
TEMP 1 & 2 S/Ns																	
COND 1 & 2 S/Ns																	
FLUOR SN																	
O2 (SBE43) SN																	
Transmiss SN																	
PAR SN																	
O2 SBE42SN																	
Hydro Team-PMEL																	
SALT BI																	
Nut.BI																	
Rosette Notes																	
DEPTH																	
DESIRED																	
1																	
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

VESSEL Northwest Explorer			CRUISE ID NW14-05		PROJECT & LEG (if needed) SEC/IGOAA leg				CTD FileName (None if data is live feed)								
CTD consec CAST #	LATITUDE		DEG	MIN	DEG	LONGITUDE		GMT DATE		(note if not)		GMT Time		Surface Temp (°C)	BOTTOM DEPTH (m)	STATION NUMBER	STN. NAME/ID
	DEG	MIN				DAY	MIN	MO	YR	HR	MIN						
Sensor IDS (initially & swap-outs)																	
SBE type and SN																	
PRESS SN																	
TEMP 1 & 2 S/Ns																	
COND 1&2 S/Ns																	
FLUOR SN																	
O2 (SBE43) SN																	
Transmiss SN																	
PAR SN																	
O2 SBE42SN																	
Weather:																	
COMMENT: Difficult conditions, factors that may affect measurements or aid processing																	
factcast 055 18081✓ 214m 1504 30 Aug 14 58 14.39 135 24.11																	
056 18082✓ 260m 1432 30 Aug 14 58 15.29 135 24.67																	
057 18083✓ 183m 1818 30 Aug 14 58 14.20 135 29.22																	
058 18084✓ 98m 2048 30 Aug 14 58 13.28 135 31.81																	
059 18085✓ 186m 2159 30 Aug 14 58 14.22 135 29.30																	
060 18086✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
061 18087✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
062 18088✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
063 18089✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
064 18090✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
065 18091✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
066 18092✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
067 18093✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
068 18094✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
069 18095✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
070 18096✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
071 18097✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
072 18098✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
073 18099✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
074 18100✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
075 18101✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
076 18102✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
077 18103✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
078 18104✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
079 18105✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
080 18106✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
081 18107✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
082 18108✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
083 18109✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
084 18110✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
085 18111✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
086 18112✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
087 18113✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
088 18114✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
089 18115✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
090 18116✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
091 18117✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
092 18118✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
093 18119✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
094 18120✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
095 18121✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
096 18122✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
097 18123✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
098 18124✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
099 18125✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
100 18126✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
101 18127✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
102 18128✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
103 18129✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
104 18130✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
105 18131✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
106 18132✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
107 18133✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
108 18134✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
109 18135✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
110 18136✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
111 18137✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
112 18138✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
113 18139✓ 96m 2330 30 Aug 14 58 13.20 135 31.61																	
114 18140✓ 96m 2330 30 Aug 14 58 13.20 135 3																	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]