


PUBLIKATIONER
FRA
DET DANSKE METEOROLOGISKE INSTITUT
— AARBØGER —

ISFORHOLDENE I DE ARKTISKE HAVE
THE STATE OF THE ICE IN THE ARCTIC SEAS

I 1933


VEDURSTOF F. S. M. A.
B. V. S. E. N.
Blaa Stoen 9
80 Reykjavik - Iceland

SÆRTRYK AF NAUTISK-METEOROLOGISK AARBOG 1933
SPECIAL PRINT OF THE NAUTICAL-METEOROLOGICAL ANNUAL 1933



KØBENHAVN
I KOMMISSION HOS G. E. C. GAD
TRYKT HOS J. JØRGENSEN & CO.

ISFORHOLDENE I DE ARKTISKE HAVE 1933.
THE STATE OF THE ICE IN THE ARCTIC SEAS 1933.



ISFORHOLDENE I DE ARKTISKE HAVE 1933.
THE STATE OF THE ICE IN THE ARCTIC SEAS 1933.



ISFORHOLDENE I DE ARKTISKE HAVE 1933.
THE STATE OF THE ICE IN THE ARCTIC SEAS 1933.

JUNE.

NOTE

- unbrudt Polaris - unbroken polar ice.
- landfast Vinteris - landfloe.
- store Ismarker - great ice-fields.
- tæt Drivis - tight pack-ice.
- spredt Drivis - open ice.
- Njis og Sjapis - young-ice and brash.
- Isforholdene ubekendte - state of ice unknown.

Isfjeld - iceberg.

De røde linjer angive de iagttagne Grenser mellem aabent Høv og Is. Fra de usørvede Partier mangler lagtagelser, men tilstedevarsel af Is formodes.

The red curves indicate the observed limits between open sea and ice. No colour indicates ice supposed, but no information at hand.

— Isens Gennemsnitsgrense 1898-1922.
Average limit of ice 1898-1922.



ISFORHOLDENE I DE ARKTISKE HAVE 1933.
THE STATE OF THE ICE IN THE ARCTIC SEAS 1933.

JULY.


NOTE

-  ubrukt Polaris - unbroken polar ice.
-  landfast Vinteris - landfloe.
-  store Ismarker - great ice-fields.
-  tæt Drivis - tight pack-ice.
-  spredt Drivis - open ice.
-  Nyis og Sjapis - young-ice and brash.
-  Isforholdene ukendte - state of ice unknown.
-  Isfjeld - iceberg.

De røde Linier angive de lagttagne Grænser mellem ambient Hæv og Is. Fra de ufarvede Partier mangl. lagttagelser, men Tilstedeværelse af Is formodes.

The red curves indicate the observed limits between open sea and ice. No colour indicates ice supposed, but no information at hand.

— er Isens Gennemsnitsgrænse 1898-1922.
Average limit of ice 1898-1922.



ISFORHOLDENE I DE ARKTISKE HAVE 1933.
THE STATE OF THE ICE IN THE ARCTIC SEAS 1933.

AUGUST.

NOTE

-  ubrudt Polaris - unbroken polar ice.
-  landfust Vinteris - landfloe.
-  store Ismarker - great ice-fields.
-  tæt Drørs - tight pack-ice.
-  spredt Drørs - open ice.
-  Nyis og Sjapis - young-ice and brash.
-  St. of ice unkn. Isforholdene ubekendte - state of ice unknown.
-  Isfeld - iceberg.

De røde linier angive de igattagte grænser mellem åbent hav og is. Fra de ufarede Partier mangl. Igattageiser, men til stedeværelse af is formodes.

The red curves indicate the observed limits between open sea and ice. No colour indicates ice supposed but no information at hand.

--> Isens Gennemsnitsgrænse 1898-1922.
Average limit of ice 1898-1922.

